www.jiecang.com

JIECANG

Lite4.0

Standing Desk Solution



TECHNOLOGY
DRIVES INTELLIGENT LIFE

JIECANG

Datasheet

Lite4.0



Lite4.0 is a dual motor standing desk solution featuring dual 2-stage rectangle tubes.

This product delivers exceptional stability while maintaining ultra-high cost performance.

Ideal for online sales channels.

Features

- Rectangular lifting column ensures column strength and stability
- Rated load: 1000N
- No-load speed: 25mm/s
- Noise: ⩽50dB
- Maximum lateral force: 100N.m
- Standard installation distance: 669mm
- Standard stroke: 490mm
- Outer tube size: 60x45mm
- Motor: High-efficiency motor
- With Hall feedback
- Surface: Powder-coated, standard colors: white, black, gray

Usage


- Matching control box: Integrated control box series
- Duty cycle: S2-20min, 2 minutes continuous use followed by 18 minutes not in use
- Usage environment: Indoor
- Ambient temperature: -10℃~70℃


Technical specifications

Type	Rated load (N)	Static loading (N)	Rated load current (A)	Max speed 0 load~ Rated load (mm/s)	Duty cycle	Stroke (mm)	Min. height (mm)
Lite4.0	1000	1000	5	25	10%	490	669

Note: The above speed and current parameters are matched with the JIECANG M series control box.

Dimensions





Ordering Key

