www.jiecang.com

JIECANG

Primer6.1

Standing Desk Solution



TECHNOLOGY
DRIVES INTELLIGENT LIFE

JIECANG

Datasheet

Primer6.1

Primer6.1 is a standing desk solution featuring dual 2-stage rectangle tubes and a lifting column with a single motor. This product delivers exceptional stability while maintaining ultra-high cost performance.

Ideal for online sales channels.



Features

- Rectangular lifting column ensures column strength and stability
- Rated load: 700N
- Equipped with JIECANG control box, no-load speed: 18mm/s; full-load speed: 14mm/s
- Noise: ⩽50dB
- Maximum lateral force: 100N.m
- Standard installation distance: 657mm
- Standard stroke: 480mm
- Outer tube size: 60x45mm
- Motor: JIECANG motor
- With Hall feedback
- Surface: Powder-coated, standard colors: white, black, gray

Usage


- Matching control box: Integrated control box series
- Duty cycle: S2-20min, 2 minutes continuous use followed by 18 minutes not in use
- Usage environment: Indoor
- Ambient temperature: -10℃~70℃

Technical specifications

Type	Rated load (N)	Static loading (N)	Rated load current (A)	Max speed 0 load~ Rated load (mm/s)	Duty cycle	Stroke (mm)	Min. height (mm)
Primer6.1	700	800	4	18~14	10%	480	657

Note: The above speed and current parameters are matched with the JIECANG M series control box.

Dimensions



Ordering Key

